

R-AWPD-36-A

CFM	Static Pressure in Inches W.G.					
	0.000	0.250	0.500	0.750	1.000	1.250
	RPM/BHP	RPM/BHP	RPM/BHP	RPM/BHP	RPM/BHP	RPM/BHP
11000	608 / 0.40	802 / 1.01	968 / 1.78	1114 / 2.70	1242 / 3.75	1356 / 4.89
13000	718 / 0.66	888 / 1.35	1035 / 2.18	1171 / 3.15	1294 / 4.24	
15000	829 / 1.02	980 / 1.80	1112 / 2.69	1236 / 3.70	1352 / 4.84	
17000	939 / 1.49	1076 / 2.36	1195 / 3.32	1308 / 4.39		
19000	1050 / 2.07	1174 / 3.04	1284 / 4.08			
21000	1160 / 2.80	1275 / 3.86	1376 / 4.98			
23000	1271 / 3.68	1376 / 4.83				
25000	1381 / 4.72					

Max Sizeable RPM = 1400 RPM. Table shown extended beyond this point for reference only.

Motor DHP00365 has an rpm range of 300 to 1150.

Motor DHP00565 has an rpm range of 300 to 1150.

Motor DTP0036 has an rpm range of 300 to 1150.

Motor DTP0036-50 has an rpm range of 300 to 958.

Motor DTP0056 has an rpm range of 300 to 1150.

Motor DTP0056-50 has an rpm range of 300 to 958.

Motor EP00365 has an rpm range of 300 to 1150.

Motor EP00565 has an rpm range of 300 to 1150.

Motor GP0036 has an rpm range of 300 to 1150.

Motor GP0036-50 has an rpm range of 300 to 958.

Motor GP0056 has an rpm range of 300 to 1150.

Motor GP0056-50 has an rpm range of 300 to 958.

Motor XP0056 has an rpm range of 300 to 1150.