


RABI20DD-RM Performance Curve



Max Sizeable RPM = 1700 RPM. Curve shown extended beyond this point for reference only.
Max discharge velocity for restaurant applications is 1800 fpm. This equates to 4132 cfm.

- Motor 00212ET3H184T-W22 has an rpm range of 800 to 1150.
- Motor 00212OT3H184T-S has an rpm range of 800 to 1150.
- Motor 00312ET3H213T-W22 has an rpm range of 800 to 1150.
- Motor 00312OT3H213T-S has an rpm range of 800 to 1150.
- Motor 00318ET3H182T-W22 has an rpm range of 800 to 1700.
- Motor 00318OT3H182T-S has an rpm range of 800 to 1700.
- Motor 00512ET3H215T-W22 has an rpm range of 800 to 1150.
- Motor 00512OT3H215T-S has an rpm range of 800 to 1150.
- Motor 00518ET3H184T-W22 has an rpm range of 800 to 1700.
- Motor 00518OT3H184T-S has an rpm range of 800 to 1700.
- Motor 00718ET3H213T-W22 has an rpm range of 800 to 1700.
- Motor 00718OT3H213T-S has an rpm range of 800 to 1700.
- Motor BMN145-2.0I2-CS-UB1-50 (1200RPM) has an rpm range of 800 to 1200.
- Motor BMN145-2.0I2-CS-UB1-60 (1200RPM) has an rpm range of 800 to 1200.
- Motor DTP0026 has an rpm range of 800 to 1150.
- Motor DTP0034 has an rpm range of 800 to 1700.
- Motor DTP0034-50HZ has an rpm range of 800 to 1438.
- Motor DTP0036 has an rpm range of 800 to 1150.
- Motor DTP0054 has an rpm range of 800 to 1700.
- Motor DTP0054-50 has an rpm range of 800 to 1435.
- Motor DTP0056 has an rpm range of 800 to 1150.
- Motor DTP7/54 has an rpm range of 800 to 1700.
- Motor DTP7/54-50 has an rpm range of 800 to 1470.
- Motor EP0026 has an rpm range of 800 to 1150.
- Motor GP0026 has an rpm range of 800 to 1150.
- Motor GP0034 has an rpm range of 800 to 1700.
- Motor GP0034-50 has an rpm range of 800 to 1440.
- Motor GP0036 has an rpm range of 800 to 1150.
- Motor GP0054 has an rpm range of 800 to 1700.
- Motor GP0054-50 has an rpm range of 800 to 1440.
- Motor NP0026 has an rpm range of 800 to 1150.
- Motor NP0034 has an rpm range of 800 to 1700.
- Motor PX6N003-2 has an rpm range of 800 to 1200.

Performance shown is certified for Installation Type B: Free inlet, Ducted outlet. Performance ratings do not include the effects of appurtenances (accessories). Power rating (BHP) does not include transmission losses.