



ALL DIMENSIONS ARE NOMINAL AND GIVEN IN INCHES.

MODEL	UNIT DIMENSIONS					G	H	J	K	L	N	DISCHARGE OPENING				RETURN OPENING															
	A	B	BB	C	CC							DD	EE	FF	GG	HH	II	JJ	KK	LL	MM	NN	OO	PP	QQ	RR	SS	TT	UU	VV	WW
D1250-G10	148-7/8	12	36-3/4	29-3/4	36-3/4	26-1/16	33	3-3/4	3-3/4	30-5/16	7-13/16	34-13/16	21	71	102-7/16	13-1/4	11-1/2	3-7/8	1-3/4	14	8	14	12-1/2	18	18	18	18	18	18	18	
D1500-G10	148-7/8	12	36-3/4	29-3/4	36-3/4	26-1/16	33	3-3/4	3-3/4	30-5/16	7-13/16	34-13/16	21	71	102-7/16	13-1/4	11-1/2	3-7/8	1-3/4	14	8	14	12-1/2	18	18	18	18	18	18	18	
D1250-G15	162-7/8	12	40-3/4	35-3/4	43-3/8	33-1/16	38-1/8	3-3/4	3-3/4	34-3/16	7-13/16	42-13/16	31	79	115-7/16	18-3/4	16	6-1/8	5-1/2	22-3/4	8	11	7-1/2	24	24	24	24	24	24	24	
D1500-G15	162-7/8	12	40-3/4	35-3/4	43-3/8	33-1/16	38-1/8	3-3/4	3-3/4	34-3/16	7-13/16	42-13/16	31	79	115-7/16	18-3/4	16	6-1/8	5-1/2	22-3/4	8	11	7-1/2	24	24	24	24	24	24	24	
D1750-G15	162-7/8	12	40-3/4	35-3/4	43-3/8	33-1/16	38-1/8	3-3/4	3-3/4	34-3/16	7-13/16	42-13/16	31	79	115-7/16	18-3/4	16	6-1/8	5-1/2	22-3/4	8	11	7-1/2	24	24	24	24	24	24	24	
D1500-G18	165	18	41-3/8	47-7/8	43-3/8	38-1/16	46-1/8	5-1/4	5-1/4	47-1/4	9-1/2	47-13/16	35	84	123-7/16	22	19	6-1/2	7	28	8	7	4-1/2	30	30	30	30	30	30	30	
D1750-G18	165	18	41-3/8	47-7/8	43-3/8	38-1/16	46-1/8	5-1/4	5-1/4	47-1/4	9-1/2	47-13/16	35	84	123-7/16	22	19	6-1/2	7	28	8	7	4-1/2	30	30	30	30	30	30	30	30
D1000-G18	165	18	41-3/8	47-7/8	43-3/8	38-1/16	46-1/8	5-1/4	5-1/4	47-1/4	9-1/2	47-13/16	35	84	123-7/16	22	19	6-1/2	7	28	8	7	4-1/2	30	30	30	30	30	30	30	30
D1500-G20	208-3/16	18	58-5/8	51-3/8	58-3/8	46-1/8	53-1/8	5-1/4	5-1/4	49-5/8	13-9/16	66-5/16	42	115-3/16	163-3/16	24-7/8	24-7/8	8-9/16	1-1/8	33	10	11	8	36	36	36	36	36	36	36	36
D1750-G20	208-3/16	18	58-5/8	51-3/8	58-3/8	46-1/8	53-1/8	5-1/4	5-1/4	49-5/8	13-9/16	66-5/16	42	115-3/16	163-3/16	24-7/8	24-7/8	8-9/16	1-1/8	33	10	11	8	36	36	36	36	36	36	36	36
D2000-G20	218-3/16	18	65-1/4	58-3/8	65-1/4	53-1/8	61-1/8	5-1/4	5-1/4	55-1/8	15-1/4	76-7/16	42	123-7/16	179-15/16	31-3/8	31-3/8	10-1/16	3-13/16	43	10	11	8	43	43	43	43	43	43	43	43
D2500-G20	218-3/16	18	65-1/4	58-3/8	65-1/4	53-1/8	61-1/8	5-1/4	5-1/4	55-1/8	15-1/4	76-7/16	42	123-7/16	179-15/16	31-3/8	31-3/8	10-1/16	3-13/16	43	10	11	8	43	43	43	43	43	43	43	43

MODEL	BURNER BTU RANGE (QBH)	GAS PRESSURE	GAS CONNECTION	CELDEK EVAPORATIVE COOLING UNIT		INTAKE HOOD	WATER INLET				DRAIN OPENING	OPTIONAL MIXING BOX FILTERS		
				TOT WEIGHT LBS	MAX. FLOW RATE GPH		AA	AB	AC	AD		Filter Size & Qty	Filter Size & Qty	
D1250-G10	67	18	275	7" WC	14" WC	3/4"	915	25	4-1/2	5-1/4	18	16	20 x 25 x 2" (2)	10 x 16 x 2" (5)
D1500-G10	12	18	350	7" WC	14" WC	3/4"	920	25	4-1/2	5-1/4	18	16	20 x 25 x 2" (2)	10 x 16 x 2" (5)
D1250-G15	67	18	275	7" WC	14" WC	3/4"	920	25	4-1/2	5-1/4	18	16	20 x 25 x 2" (2)	10 x 16 x 2" (5)
D1500-G15	12	18	350	7" WC	14" WC	3/4"	920	25	4-1/2	5-1/4	18	16	20 x 25 x 2" (2)	10 x 16 x 2" (5)
D1750-G15	18	18	550	7" WC	14" WC	3/4"	1275	30	4-1/2	5-3/4	20	19	20 x 25 x 2" (2)	15 x 15 x 2" (2)
D1500-G18	12	18	275	7" WC	14" WC	3/4"	1280	30	4-1/2	5-3/4	20	19	20 x 25 x 2" (2)	15 x 15 x 2" (2)
D1750-G18	12	18	550	7" WC	14" WC	3/4"	1560	38	4-1/2	5-3/4	23-1/2	17-1/2	20 x 25 x 2" (2)	15 x 15 x 2" (2)
D1500-G18	18	18	825	7" WC	14" WC	3/4"	1560	38	4-1/2	5-3/4	23-1/2	17-1/2	20 x 25 x 2" (2)	15 x 15 x 2" (2)
D1750-G18	18	27.5	825	7" WC	14" WC	3/4"	1560	38	4-1/2	5-3/4	23-1/2	17-1/2	20 x 25 x 2" (2)	15 x 15 x 2" (2)
D1000-G18	24	36.6	1100	7" WC	14" WC	1"	1570	38	4-1/2	5-3/4	23-1/2	17-1/2	20 x 25 x 2" (2)	15 x 15 x 2" (2)
D1500-G20	24	36.6	1100	7" WC	14" WC	1"	1570	38	4-1/2	5-3/4	23-1/2	17-1/2	20 x 25 x 2" (2)	15 x 15 x 2" (2)
D1750-G20	30	45.8	1375	7" WC	5 PSI	1-1/4"	2415	45	4-1/2	5-3/4	28-7/8	17-1/2	20 x 25 x 2" (2)	18 x 25 x 2" (4)
D2000-G20	48	73.3	2200	7" WC	5 PSI	1-1/2"	2415	45	4-1/2	5-3/4	28-7/8	17-1/2	20 x 25 x 2" (2)	18 x 25 x 2" (4)
D2500-G20	60	91.6	2750	7" WC	5 PSI	1-1/2"	3160	45	4-1/2	5-3/4	37-1/2	17-1/2	20 x 25 x 2" (2)	14.5 x 19 x 2" (2)

Notes:
 - K/MAX. EVAP WATER PRESSURE = 50 PSI @ 70 DEG. F
 - Direct Fired (DF) Profile Plate Assembly