



EXHAUST UNIT DIMENSIONS	MODEL	AE	AG	AS
1-1/2"	14-1/2"	22"	19"	
2"	18-1/2"	27-1/4"	21"	
3"	21-1/2"	30-1/4"	21"	
4"	23-1/2"	33-3/4"	24-3/4"	
5"	29-1/2"	39-3/8"	28"	
6"	30-5/8"	43-3/8"	33"	
8"	33-1/2"	50-3/4"	40"	

ALL DIMENSIONS ARE NOMINAL AND GIVEN IN INCHES.

MAX. ROOF OPENING 2" SMALLER THAN CURB OUTSIDE DIMENSION

MODEL	A	B	BB	C	CC	D	E	F	G	H	J	K	L	M	N	NH	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD	AE
1-1/2"-150-010	509	48-1/2"	32-3/4"	46-3/4"	52-3/4"	35-3/4"	53-3/4"	48-3/4"	34-3/4"	35-3/4"	71	81	106	145-3/16"	197-3/4"	14	14	18	15	15	16	15	18	18	18	3/4"	1-1/2"	18	18	18

UNIT INFORMATION	MODEL	BURNER INPUT BTU/HOUR	BTU/HOUR INPUT RATING	BTU/HOUR HIGH	TEMPERATURE RATING	CONSTRUCTION	GAS PRESSURE RANGE	MAX. FLOW RATE	NET WEIGHT	HEAVY DUTY	MODULAR	MAX. FLOW RATE	DOWN DISCHARGE OPENING	GAS CONNECTION	FRAMING	WATER INLET	BROWN OPENING
ADD CONDENSING UNIT WEIGHT	1-1/2"-150-010	500	160	160	6	8002	7" WC	14" WC	846 LBS	29" x 36" x 48"	20	6.5 GPH	16-3/4"	3/4"	4-1/2"	5-3/4"	18
	1-1/2"-200-150-010	800	267	267	12	8002	7" WC	14" WC	1244 LBS	29" x 36" x 48"	20	6.5 GPH	16-3/4"	3/4"	4-1/2"	5-3/4"	18

ALL MODELS ARE FULLY ELECTRONICALLY MODULATING FOR COMBUSTION EFFICIENCY. EVERY UNIT IS BOX DRY. THE ENTIRE GAS FIRING RANGE. GAS PRESSURES IN TABLE ARE FOR NATURAL GAS, LP MINIMUM GAS LIQUET PRESSURE = 11" W.C. MAX. EVAP WATER PRESSURE UNIT INFORMATION 9 INCH HIGH EXHAUST ADAPTER