


MODULAR OUTDOOR DOWN DISCHARGE BLOWER-ROOF TOP PACKAGE WITH HEATING AND COILING COIL AND INTAKE HOOD

INTLCCDMMRT  
REV#3 6/2/2009



BLOWER DIMENSIONS				
UNIT SIZE	P	R	S	T
10"	13-1/4	11-1/2	3-7/8	36-3/4
12"	15-3/4	13-9/16	7-5/8	52-15/16
15"	18-3/4	16	6-1/8	50-1/2
18"	22	19	6-1/2	56
20"	24-7/8	24-7/8	8-9/16	57-1/8

EXHAUST UNIT DIMENSIONS				
MODEL #	U	V	W	**
BDU11	14-1/2	22	19	
BDU12	18-1/2	27-1/4	21	
BDU13	21-1/2	30-1/4	21	
BDU15	23	33-3/4	24-3/4	
BDU18	23-1/2	39-3/8	28	
BDU20	29-1/2	38-7/8	28	
BDU24	30-5/8	43-3/8	33	
BDU30	33-1/2	52-3/4	40	

SUPER UNIT DIMENSIONS													CURB AND RAIL DIMENSIONS													HOT WATER COIL MODULE													STEAM COIL MODULE												
MODEL #	A	B	C	D	E	F	G	H	I	J	K	L	M	N	MODEL #	WEIGHT (LBS)	TYPE	CONNECTION	X	Y	XY	MODEL #	WEIGHT (LBS)	TYPE	CONNECTION	X	Y	XY	MODEL #	WEIGHT (LBS)	TYPE	CONNECTION	X	Y	XY																
G10	16-5/8	39-3/8	42-3/4	88	100-3/16	142-15/16	56	23	15	16	44	3	8	21	G10	1125	2	8-1/4	22-7/16	24	3	4	19	11	16	G10	1125	176	4	9	8	3	4	21	1	16	16	21	1	16											
G12	24-5/8	49-3/8	47-3/4	80	119-5/8	161-3/4	76	24	15	16	53	5	8	31	G12	1445	2	8-1/4	22-7/16	28	3	4	19	11	16	G12	1445	328	19	2	1	2	5	8	3	4	21	1	16	16	21	1	16								
G18	24-5/8	54-3/8	47-3/4	80	119-5/8	161-3/4	76	24	15	16	53	5	8	31	G18	1455	2	9-1/2	22-3/16	28	3	4	19	11	16	G18	1455	328	19	2	1	2	5	8	3	4	21	1	16	16	21	1	16								
G18	24-5/8	54-3/8	56-3/8	75	128-3/16	171-5/16	84	24	15	16	51	5	8	31	G18	1755	2	9-1/2	22-3/16	38	3	8	19	15	16	G18	1750	505	6	4	2	1	2	5	10	1	4	21	1	16	23	5	8	21	1	16					
920	172-13/16	60-7/16	64-3/8	50	160-9/32	214-15/32	98	26	7	3/4	76	3	8	42	920	2565	2-1/2	10	28	9	16	45	1	2	25	9	16	920	2540	812	2	4	5	10	1	4	27	3	3	2	2	3	32								

FILT. DIM. & QTY.		MAX. FILTER VELOCITY		TONNAGE RANGE	
MIN.	MAX.	MIN.	MAX.	MIN.	MAX.
16X20X2" (3)	25500 CFM = 667 FPM	3	12.5	3	20
20X25X2" (3)	65000 CFM = 580 FPM	5	20	5	20
24X25X2" (3)	86000 CFM = 696 FPM	5	20	5	20
16X20X2" (6)	88000 CFM = 762 FPM	10	25	10	25
16X20X2" (10)	81500 CFM = 857 FPM	20	40	20	40

SUPER UNIT DIMENSIONS													CURB AND RAIL DIMENSIONS													HOT WATER COIL MODULE													STEAM COIL MODULE												
MODEL #	A	B	C	D	E	F	G	H	I	J	K	L	M	N	MODEL #	WEIGHT (LBS)	TYPE	CONNECTION	X	Y	XY	MODEL #	WEIGHT (LBS)	TYPE	CONNECTION	X	Y	XY	MODEL #	WEIGHT (LBS)	TYPE	CONNECTION	X	Y	XY																
G10	16-5/8	39-3/8	42-3/4	88	100-3/16	142-15/16	56	23	15	16	44	3	8	21	G10	1125	2	8-1/4	22-7/16	24	3	4	19	11	16	G10	1125	176	4	9	8	3	4	21	1	16	16	21	1	16											
G12	24-5/8	49-3/8	47-3/4	80	119-5/8	161-3/4	76	24	15	16	53	5	8	31	G12	1445	2	8-1/4	22-7/16	28	3	4	19	11	16	G12	1445	328	19	2	1	2	5	8	3	4	21	1	16	16	21	1	16								
G18	24-5/8	54-3/8	47-3/4	80	119-5/8	161-3/4	76	24	15	16	53	5	8	31	G18	1455	2	9-1/2	22-3/16	28	3	4	19	11	16	G18	1455	328	19	2	1	2	5	8	3	4	21	1	16	16	21	1	16								
G18	24-5/8	54-3/8	56-3/8	75	128-3/16	171-5/16	84	24	15	16	51	5	8	31	G18	1755	2	9-1/2	22-3/16	38	3	8	19	15	16	G18	1750	505	6	4	2	1	2	5	10	1	4	21	1	16	23	5	8	21	1	16					
920	172-13/16	60-7/16	64-3/8	50	160-9/32	214-15/32	98	26	7	3/4	76	3	8	42	920	2565	2-1/2	10	28	9	16	45	1	2	25	9	16	920	2540	812	2	4	5	10	1	4	27	3	3	2	2	3	32								

ROOF OPENING 2" SMALLER THAN CURB DIMENSION